# Author index


Adam, N.R. *see* Conley, M.M.
Albus, U., Baier, R., Holst, O., Pühler, A. & Niehaus, K. Suppression of an elicitor-induced oxidative burst reaction in *Medicago sativa* cell cultures by *Sinorhizobium meliloti* lipopolysaccharides, 597
Alonso, R. *see* Tolrà, R.P.
Alpi, A. *see* Guglielminetti, L.
Altamura, M.M., Possenti, M., Matteucci, A., Baima, S., Ruberti, I. & Morelli, G. Development of the vascular system in the inflorescence stem of *Arabidopsis*, 381
Ambrose, M. Identification software, 322
Augé, R.M., Kubikova, E. & Moore, J.L. Foliar dehydration tolerance of mycorrhizal cowpea, soybean and bush bean, 535
Azcón, R. *see* Ruiz-Lozano, J.M.

Bååth, E. *see* Wallander, H.
Baier, R. *see* Albus, U.
Baima, S. *see* Altamura, M.M.
Barceló, J. *see* Tolrà, R.P.
Barceló, D. *see* Tolrà, R.P.
Barea, J.M. *see* Ruiz-Lozano, J.M.
Bauer, H. *see* Mayr, S.
Baur, B. *see* Meng, Q.
Belligni, M.V. *see* Fath, A.
Bending, G.D. *see* Poole, E.J.
Bethke, P.C. *see* Fath, A.
Bibikova, T.N. *see* Jenkins, G.I.
Bidartondo, M.I., Ek, H., Wallander, H. & Söderström, B. Do nutrient additions alter carbon sink strength of ectomycorrhizal fungi?, 543
Bielenberg, D.G., Lynch, J.P. & Pell, E.J. A decline in nitrogen availability affects plant responses to ozone, 413
Bindschedler, L.V., Minibayeva, F., Gardner, S.L., Gerrish, C., Davies, D.R. & Bolwell, G.P. Early signalling events in the apoplastic oxidative burst in suspension cultured French bean cells involve cAMP and $Ca^{2+}$, 185
Boddy, L. *see* Donnelly, D.P.
Bolwell, G.P. *see* Bindschedler, L.V.
Brooks, T.J. *see* Conley, M.M.
Brouat, C. & McKey, D. Leaf-stem allometry, hollow stems, and the evolution of caulinary domatia in myrmecophytes, 391
Busilacchi, H.A. *see* Guglielminetti, L.

Cairney, J.W.G. *see* Sharples, J.M.
Callaghan, T.V. *see* Emmerton, K.S.
Callaghan, T.V. *see* Emmerton, K.S.
Campani, A. *see* Forlani, G.
Cavagnaro, T.R., Gao, L-L., Smith, F.A. & Smith, S.E. Morphology of arbuscular mycorrhizas is influenced by fungal identity, 469
Chambers, S.M. *see* Sharples, J.M.
Citernesi, A.S. *see* Giovannetti, M.
Clements, B. The role of farm woodland, 321
Collados, C. *see* Ruiz-Lozano, J.M.
Colmer, T.D. *see* McDonald, M.P.
Conley, M.M., Kimball, B.A., Brooks, T.J., Pinter Jr, P.J., Hunsaker, D.J., Wall, G.W., Adam, N.R., LaMorte, R.L., Matthias, A.D., Thompson, T.L., Leavitt, S.W., Ottman, M.J., Cousins, A.B. & Triggs, J.M. $CO_2$ enrichment increases water-use efficiency in sorghum, 407
Coomber, S. Underground associations, 562
Cousins, A.B. *see* Conley, M.M.

Davies, D.R. *see* Bindschedler, L.V.
Davies, P.J. *see* Mapes, C.C.
Davies, P.J. *see* Mapes, C.C.
De Gara, L. *see* Di Cagno, R.
Delp, G. *see* Gao, L-L.
Di Cagno, R., Guidi, L., De Gara, L. & Soldatini, G.F. Combined cadmium and ozone treatments affect photosynthesis and ascorbate-dependent defences in sunflower, 627
Dickie, I.A., Koide, R.T. & Fayish, A.C. Vesicular–arbuscular mycorrhizal infection of *Quercus rubra* seedlings, 257
Dickson, S. & Smith, S.E. Cross walls in arbuscular trunk hyphae form after loss of metabolic activity, 735
Ditengou, F. *see* Martin, F.
Donnelly, D.P. & Boddy, L. Mycelial dynamics during interactions between *Stropharia caerulea* and other cord-forming, saprotrophic basidiomycetes, 691
Dunigan, D.D. *see* Redman, R.S.
Duplessis, S. *see* Martin, F.

Ek, H. *see* Bidartondo, M.I.
Ellneskog-Staam, P. *see* McDonald, M.P.
Emmerton, K.S., Callaghan, T.V., Jones, H.E., Leake, J.R., Michelsen, A. & Read, D.J. Assimilation and isotopic fractionation of nitrogen by mycorrhizal fungi, 503
Emmerton, K.S., Callaghan, T.V., Jones, H.E., Leake, J.R., Michelsen, A. & Read, D.J. Assimilation and isotopic fractionation of nitrogen by mycorrhizal and nonmycorrhizal subarctic plants, 513
Evans, E.H. *see* Kshirsagar, A.

Fath, A., Bethke, P.C., Belligni, M.V., Spiegel, Y.N. & Jones, R.L. Signalling in cereal aleurone: hormones, reactive oxygen and cell death, 99
Fayish, A.C. *see* Dickie, I.A.
Feller, U. Nitrogen metabolism – the ecological context, 319
Fontaine, V. *see* Nimmo, H.G.
Forlani, G. & Campani, A. A dimeric 5-*enol*-pyruvyl-shikimate-3-phosphate synthase from the cyanobacterium *Spirulina platensis*, 443
Fortuna, P. *see* Giovannetti, M.
Fotelli, M.N., Geßler, A., Peuke, A.D. & Rennenberg, H. Drought affects the competitive interactions between *Fagus sylvatica* seedlings and an early successional species, *Rubus fruticosus*: responses of growth, water status and δ13C composition, 427
Franklin, F.C.H. *see* Wheeler, M.J.
Franklin-Tong, V.E. *see* Rudd, J.J.
Franklin-Tong, V.E. *see* Wheeler, M.J.
Fromm, H. *see* Snedden, W.A.

Gallon, J.R. *see* Smith, C.J.
Galwey, N.W. *see* McDonald, M.P.
Gao, L-L. *see* Cavagnaro, T.R.
Gao, L-L., Delp, G. & Smith, S.E. Colonization patterns in a mycorrhiza-defective mutant tomato vary with different arbuscular-mycorrhizal fungi, 477
Gardner, S.L. *see* Bindschedler, L.V.
Gartner, B.L. Multitasking and tradeoffs in stems, and the costly dominion of domatia, 311
Gerrish, C. *see* Bindschedler, L.V.
Geßler, A. *see* Fotelli, M.N.
Gilligan, C.A. *see* Otten, W.
Giovannetti, M., Fortuna, P., Citernesi, A.S., Morini, S. & Nuti, M.P. The occurrence of anastomosis formation and nuclear exchange in intact arbuscular mycorrhizal networks, 717
Gracia, C.A. *see* López, B.

Graglia, E., Julkunen-Tiitto, R., Shaver, G.R., Schmidt, I.K., Jonasson, S. & Michelsen, A. Environmental control and intersite variations of phenolics in *Betula nana* in tundra ecosystems, 227
Graham, J. *see* Marshall, B.
Gray, J.E. *see* Ng, C.K.-Y.
Green, J.J. & Newbery, D.M. Light and seed size affect establishment of grove-forming ectomycorrhizal rain forest tree species, 271
Green, J.J. & Newbery, D.M. Shade and leaf loss affect establishment of grove-forming ectomycorrhizal rain forest tree species, 291
Gribskov, M. *see* Harmon, A.C.
Gubrium, E. *see* Harmon, A.C.
Guglielminetti, L., Busilacchi, H.A., Perata, P. & Alpi, A. Carbohydrate–ethanol transition in cereal grains under anoxia, 607
Guidi, L. *see* Di Cagno, R.
Gupta, R. *see* Luan, S.

Haase, A. *see* Zimmermann, U.
Hagerberg, D. *see* Wallander, H.
Hall, A.R. The Quarternary cold stages in the British Isles, 320
Hall, D. *see* Otten, W.
Hamon, R.E. *see* Zhao, F.J.
Harmon, A.C., Gribskov, M., Gubrium, E. & Harper, J.F. The CDPK superfamily of protein kinases, 175
Harper, J.F. *see* Harmon, A.C.
Harris, K. *see* Otten, W.
Harrison, R.E. *see* Marshall, B.
Hartwell, J. *see* Nimmo, H.G.
Hetherington, A.M. *see* Ng, C.K.-Y.
Hodge, A. Arbuscular mycorrhizal fungi influence decomposition of, but not plant nutrient capture from, glycine patches in soil, 725
Höglind, M., Schapendonk, A.H.C.M. & Van Oijen, M. Timothy growth in Scandanavia: combining quantitative information and simulation modelling, 355
Holst, O. *see* Albus, U.
Hunsaker, D.J. *see* Conley, M.M.
Hunt, L. *see* Ng, C.K.-Y.

Jackson, S.L. Do hyphae pulse as they grow?, 556
Jenkins, G.I. *see* Nimmo, H.G.
Jenkins, G.I., Long, J.C., Wade, H.K., Shenton, M.R. & Bibikova, T.N. UV and blue light signalling: pathways regulating chalcone synthase gene expression in *Arabidopsis*, 121
Jonasson, S. *see* Graglia, E.
Jones, H.E. *see* Emmerton, K.S.
Jones, H.E. *see* Emmerton, K.S.
Jones, R.L. *see* Fath, A.
Jones, R.N. From Mendel to the Human Genome Project, 561
Julkunen-Tiitto, R. *see* Graglia, E.

Kimball, B.A. *see* Conley, M.M.
Koide, R.T. *see* Dickie, I.A.
Körner, C. *see* Volk, M.
Kriss, M. *see* Mayr, S.
Kshirsagar, A., Reid, A.J., McColl, S.M., Saunders, V.A., Whalley, A.J.S. & Evans, E.H. The effect of fungal metabolites on leaves as detected by chlorophyll fluorescence, 451
Kubikova, E. *see* Augé, R.M.

Lagrange, H. *see* Martin, F.
Lamorte, R.L. *see* Conley, M.M.
Lapeyrie, F. *see* Martin, F.
Lau, N.Y. *see* Lease, K.A.
Leake, J.R. *see* Emmerton, K.S.
Leake, J.R. *see* Emmerton, K.S.
Lease, K.A., Lau, N.Y., Schuster, R.A., Torii, K.U. & Walker, J.C. Receptor serine/threonine protein kinases in signalling: analysis of the erecta receptor-like kinase of *Arabidopsis thaliana*, 133
Leavitt, S.W. *see* Conley, M.M.
Leckie, C.P. *see* Ng, C.K.-Y.
Lippert, P. *see* Meng, Q.
Long, J.C. *see* Jenkins, G.I.
López, B., Sabaté, S. & Gracia, C.A. Fine-root longevity of *Quercus ilex*, 437
Luan, S., Ting, J. & Gupta, R. Protein tyrosine phosphatases in higher plants, 155
Lynch, J.P. *see* Bielenberg, D.G.

Mackenzie, S. *see* Warren, J.
Makgomol, K. & Sheffield, E. Gametophyte morphology and ultrastructure of the extremely deep shade fern, *Trichomanes speciosum*, 243
Mapes, C.C. & Davies, P.J. Cytokinins in the ball gall of *Solidago altissima* and in the gall forming larvae of *Eurosta solidaginis*, 203
Mapes, C.C. & Davies, P.J. Indole-3-acetic acid and ball gall development on *Solidago altissima*, 195
Marshall, B., Harrison, R.E., Graham, J., McNicol, J.W., Wright, G. & Squire, G.R. Spatial trends of phenotypic diversity between colonies of wild raspberry *Rubus idaeus* L., 671
Martin, F., Duplessis, S., Ditengou, F., Lagrange, H., Voiblet, C. & Lapeyrie, F. Developmental cross talking in the ectomycorrhizal symbiosis: signals and communication genes, 145
Matteucci, A. *see* Altamura, M.M.
Matthias, A.D. *see* Conley, M.M.
Mayr, S., Siller, C., Kriss, M., Oberhuber, W. & Bauer, H. Photosynthesis in rust-infected adult Norway spruce in the field, 683
Mcainsh, M.R. *see* Ng, C.K.-Y.
McColl, S.M. *see* Kshirsagar, A.
McDonald, M.P., Galwey, N.W., Ellneskog-Staam, P. & Colmer, T.D. Evaluation of *Lophopyrum elongatum* as a source of genetic diversity to increase the waterlogging tolerance of hexaploid of wheat (*Triticum aestivum*), 369
McKey, D. *see* Brouat, C.
McLaughlin, M.J. *see* Zhao, F.J.
McNicol, J.W. *see* Marshall, B.
Meharg, A.A. *see* Sharples, J.M.
Meng, Q., Siebke, K., Lippert, P., Baur, B., Mukherjee, U. & Weis, E. Sink-source transition in tobacco leaves visualized using chlorophyll fluorescence imaging, 585
Merino, J. *see* Villar, R.
Michelsen, A. *see* Emmerton, K.S.
Michelsen, A. *see* Emmerton, K.S.
Michelsen, A. *see* Graglia, E.
Millner, P.A. Heterotrimeric G-proteins in plant cell signaling, 165
Mills, L. *see* Ng, C.K.-Y.
Minibayeva, F. *see* Bindschedler, L.V.
Money, N.P. The pulse machine – reevaluating tip-growth metodology, 553
Moore, J.L. *see* Augé, R.M.
Morelli, G. *see* Altamura, M.M.
Morini, S. *see* Giovannetti, M.
Morris, P.C. MAP kinase signal transduction pathways in plants, 67
Mukherjee, U. *see* Meng, Q.

Nardi, S. *see* Pizzeghello, D.
Newbery, D.M. *see* Green, J.J.
Newbery, D.M. *see* Green, J.J.
Ng, C.K.-Y., Mcainsh, M.R., Gray, J.E., Hunt, L., Leckie, C.P., Mills, L. & Hetherington, A.M. Calcium-based signalling systems in guard cells, 109
Nicolini, G. *see* Pizzeghello, D.
Niehaus, K. *see* Albus, U.
Nilsson, L.O. *see* Wallander, H.

Nimmo, G.A. *see* Nimmo, H.G.
Nimmo, H.G., Fontaine, V., Hartwell, J., Jenkins, G.I., Nimmo, G.A. & Wilkins, M.B. PEP carboxylase kinase is a novel protein kinase controlled at the level of expression, 91
Nuti, M.P. *see* Giovannetti, M.

Oberhuber, W. *see* Mayr, S.
Otten, W., Hall, D., Harris, K., Ritz, K., Young, I.M. & Gilligan, C.A. Soil physics, fungal epidemiology and the spread of *Rhizoctonia solani*, 459
Ottman, M.J. *see* Conley, M.M.

Pell, E.J. *see* Bielenberg, D.G.
Perata, P. *see* Guglielminetti, L.
Peuke, A.D. *see* Fotelli, M.N.
Pilon, J. & Santamaría, L. Seasonal acclimation in the photosynthetic and respiratory temperature responses of three submerged freshwater macrophyte species, 659
Pinter Jr, P.J. *see* Conley, M.M.
Pizzeghello, D., Nicolini, G. & Nardi, S. Hormone-like activity of humic substances in *Fagus sylvatica forests*, 647
Poole, E.J., Bending, G.D., Whipps, J.M. & Read, D.J. Bacteria associated with *Pinus sylvestris–Lactarius rufus* ectomycorrhizas and their effects on mycorrhiza formation *in vitro*, 743
Poschenrieder, C. *see* Tolrà, R.P.
Possenti, M. *see* Altamura, M.M.
Pühler, A. *see* Albus, U.

Read, D.J. *see* Emmerton, K.S.
Read, D.J. *see* Emmerton, K.S.
Read, D.J. *see* Poole, E.J.
Redman, R.S., Dunigan, D.D. & Rodriguez, R. Fungal symbiosis from mutualism to parasitism: who controls the outcome, host or invader?, 705
Reid, A.J. *see* Kshirsagar, A.
Rennenberg, H. *see* Fotelli, M.N.
Ritz, K. *see* Otten, W.
Robinson, C.H. Cold adaptation in Arctic and Antarctic fungi, 341
Rodriguez, R. *see* Redman, R.S.
Ruberti, I. *see* Altamura, M.M.
Rudd, J.J. & Franklin-Tong, V.E. Unravelling response-specificity in $Ca^{2+}$ signalling pathways in plant cells, 7
Ruiz-Lozano, J.M., Collados, C., Barea, J.M. & Azcón, R. Arbuscular mycorrhizal symbiosis can alleviate drought-induced nodule senescence in soybean plants, 493

Sabaté, S. *see* López, B.
Saito, M. *see* Solaiman, M.Z.
Santamaría, L. *see* Pilon, J.
Saunders, V.A. *see* Kshirsagar, A.
Schapendonk, A.H.C.M. *see* Höglind, M.
Schmidt, I.K. *see* Graglia, E.
Schneider, H. *see* Zimmermann, U.
Schuster, R.A. *see* Lease, K.A.
Sharples, J.M., Meharg, A.A., Chambers, S.M. & Cairney, J.W.G. Arsenate resistance in the ericoid mycorrhizal fungus *Hymenoscyphus ericae*, 265
Shaver, G.R. *see* Graglia, E.
Sheffield, E. *see* Makgomol, K.
Shenton, M.R. *see* Jenkins, G.I.
Siebke, K. *see* Meng, Q.
Siller, C. *see* Mayr, S.
Slusarenko, A. Molecular Plant Pathology, 563
Smith, C.J & Gallon, J.R. Living in the real world: how plants perceive their environment, 1
Smith, F.A. *see* Cavagnaro, T.R.
Smith, S.E. *see* Cavagnaro, T.R.
Smith, S.E. *see* Dickson, S.
Smith, S.E. *see* Gao, L.-L.
Snedden, W.A. & Fromm, H. Calmodulin as a versatile calcium transducer in plants, 35
Söderström, B. *see* Bidartondo, M.I.
Solaiman, M.Z. & Saito, M. Phosphate efflux from intraradical hyphae of *Gigaspora margarita in vitro* and its implication for phosphorus translocation, 525
Soldatini, G.F. *see* Di Cagno, R.
Spiegel, Y.N. *see* Fath, A.
Squire, G.R. *see* Marshall, B.
Szimtenings, M. *see* Zimmermann, U.

Taylor, J.E. & Whitelaw, C.A. Signals in abscission, 323
Thompson, T.L. *see* Conley, M.M.
Ting, J. *see* Luan, S.
Tolrà, R.P., Poschenrieder, C., Alonso, R., Barceló, D. & Barceló, J. Influence of zinc hyperaccumulation on glucosinolates in *Thlaspi caerulescens*, 621
Torii, K.U. *see* Lease, K.A.
Triggs, J.M. *see* Conley, M.M.

Van Oijen, M. *see* Höglind, M.
Villar, R. & Merino, J. Comparison of leaf construction costs in woody species with differing leaf life-spans in contrasting ecosystems, 213
Voiblet, C. *see* Martin, F.
Volk, M. & Körner, C. Genotype x elevated $CO_2$ interaction and allocation in calcareous grassland species, 637

Wade, H.K. *see* Jenkins, G.I.
Wagner, H-J. *see* Zimmermann, U.
Walker, J.C. *see* Lease, K.A.
Wall, G.W. *see* Conley, M.M.
Wallander, H. *see* Bidartondo, M.I.
Wallander, H., Nilsson, L.O., Hagerberg, D. & Bååth, E. Estimation of the biomass and seasonal growth of external mycelium of ectomycorrhizal fungi in the field, 753
Warren, J. & Mackenzie, S. Why are all colour combinations not equally represented as flower-colour polymorphisms?, 237
Weis, E. *see* Meng, Q.
Welbaum, G.E. Seed technology, 318
Whalley, A.J.S. *see* Kshirsagar, A.
Wheeler, M.J., Franklin-Tong, V.E. & Franklin, F.C.H. The molecular and genetic basis of pollen–pistil interactions, 565
Whipps, J.M. *see* Poole, E.J.
Whitelaw, C.A. *see* Taylor, J.E.
Wilkins, M.B. *see* Nimmo, H.G.
Wright, G. *see* Marshall, B.

Young, I.M. *see* Otten, W.

Zhao, F.J., Hamon, R.E. & McLaughlin, M.J. Root exudates of the hyperaccumulator *Thlaspi caerulescens* do not enhance metal mobilization, 613
Zimmermann, U., Wagner, H-J., Szimtenings, M., Schneider, H. & Haase, A. Restoration of the hydraulic system in a resurrection plant: fitting the theory with the facts, 314

# Keyword index

abscisic acid, 99, 109
abscission, 323
accelerated senescence, 413
acclimation, 659
*Acer rubrum* (red maple), 257
adaptation, 341
adventitious roots, 369
aerenchyma, 369
*Agrocybe gibberosa*, 691
air pollution, 413
alcohol dehydrogenase (ADH), 607
aleurone, 99
allocation, 637
Allometry, 391
AM fungi, 735
amino acids, 503, 513
ammonium, 543
anastomosis, 717
annual ring width, 683
anoxia, 607
Antarctic, 341
anthocyanin, 237
antioxidants, 627
antisense, 165
apatite, 543
*Arabidopsis thaliana*, 381
*Arabidopsis*, 121
Arbuscular mycorrhizal fungi (AMF), 725
arbuscular mycorrhizal symbiosis, 493
Arbuscular mycorrhizas, 469, 477, 717
arbuscular senescence, 735
arbuscular unit, 735
arctic tundra, 503, 513
Arctic, 341
arctic-alpine ecosystems, 227
aromatic metabolism, 443
arsenate, 265
*Arum*/*Paris*-type, 469
auxin, 195, 323
auxins, 145

ball gall, 195, 203
beech forests, 647
*Betula nana* (dwarf birch), 227
biomechanic, 313
biomechanics, 391
boreal forest, 503, 513
*Bradyrhizobium*, 493
Bromus, 637
*Burkholderia*, 743

$Ca^{2+}$ signalling in plants, 7
$Ca^{2+}$ signature, 7
cadmium, 613
CADPR, 109
calcium signalling, 109
calcium, 35, 185
*Callitriche obtusangula*, 659
*Calluna vulgaris*, 265
calmodulin, 35
cambium, 381
CaMK, 175
cAMP, 185
canola, 613
carbon dioxide enrichment, 407
carbon isotope composition, 427
carbon, 543
*Carex*, 637
caulinary domatia, 391
CCaMK, 175
CDPK, 175
cell separation, 323
chalcone synthase, 121
chlorophyll *a* fluorescence, 585
Chlorophyll fluorescence, 451, 627
chloroplasts, 243
*Chrysomyxa rhododendri*, 683
circadian rhythm, 91
climate change experiments, 227
climate, 355
$CO_2$, 407
*Colletotrichum*, 705
colour polymorphism, 237
compensation, 413
competition, 427
construction cost, 213
copper, 265
Corner's rules, 391
CRK, 175
cross walls, 735
$^{14}C$-translocation, 585
cryptochrome, 121
cyanobacteria, 443
cytochalasin E, 451
cytokinins, 203
cytoskeleton, 145

dark respiration, 659
deciduous, 213
decomposition, 725
dehiscence, 323
dehydroascorbate, 627
disease resistance, 705
double staining, 735
drought tolerance, 705
drought, 493, 535
dual-infection, 257

ectomycorrhiza, 543, 743, 753
ectomycorrhizas, 271
ectomycorrhizas, 291
electron transport rate (ETR), 585
elevated $CO_2$, 637
environment, 35
environmental heterogeneity, 237
epidemiology, 459
EPSP synthase, 443
ergosterol, 753
ericoid mycorrhiza, 265
ethylene, 323
*Eurosta solidaginis*, 195
*Eurosta solidaginis*, 203
evapotranspiration, 407
evergreen, 213
evolution, 175
expression, 165
external mycelium, 753
extraradical mycelium, 717

*Fagus sylvatica*, 427
fermentation, 607
fertilization, 227
fibre, 381
field transplants, 291
Fine root longevity, 437
flower-colour, 237
forest dynamics, 271
forest dynamics, 291
fractals, 691
free-air $CO_2$ enrichment (FACE), 407
fruitbodies, 503
fungal biomass, 753
fungal identity, 469
fungal lifestyle, 705
fungal spread, 459
fungi, 341

gametrophytes, 243
gas exchanges, 627
gene expression, 145, 323

genotype, 637
gibberellic acid, 99
*Gigaspora margarita*, 525
global change, 407
*Glomus intraradices*, 535
*Glomus mosseae*, 717
*Glomus, Allium*, 735
glucosinolate, 621
*Glycine max*, 535
glycine, 725
glyphosate, 443
goldenrod, 195, 203
G-protein, 165
grass yield, 355
growth analysis, 637
growth, 427

$H_2O_2$, 109
heat of combustion, 213
heathland, 513
*Helianthus annuus*, 627
helper bacteria, 743
hollow stems, 391
holm oak, 437
*Hordeum vulgare* (barley), 607
*Hordeum vulgare*, 99
hormone-like activity, 647
humic substances, 647
hybrid poplar, 413
hydraulic architecture, 313
hydraulic system, 317
hydrogen peroxide, 185
Hymenoscyphus ericae, 265
hypaphorine, 145
hyperaccumulation, 613, 621
hyphal extension, 553
*Hypholoma fasciculare*, 691

image analysis, 691
imaging, leaf development, 585
*in vitro* and *in vivo* activity, 647
indole-3-acetic acid, 195
inositol phosphates, 109
insect gall formation, 195, 203
intron, 175
ion channel, 165
isotopic discrimination, 513

Killarney fern, 243
Korup National Park, 271, 291

*Lactarius rufus*, 743
leaf area, 313
leaf size, 213
leaf-stem relationship, 391
Leguminoseae, 185
lethal water stress, 535
light regulation, 91
light response, 271
light-regulation, 121
lipid peroxidation, 627
lipids, 213
lipopolysaccharides, 597
literature review, 355
*Lophopyrum elongatum*, 369
*Lycopersicon esculentum* (tomato), 469, 477

MAP kinase, 67
*Medicago sativa*, 597
MEK kinase, 67
MEK, 67
metabolic activity, 735
metabolite control, 91
metal tolerance, 265
*Microberlinia bisulcata*, 271
*Microberlinia bisulcata*, 291
minirhizotron, 437
morphology, 469
mycelial morphology, 691
mycelium, 543
mycorrhizal fungi, 503
mycorrhizal mutants, 477
mycorrhizal networks, 717
mycorrhizal plants, 513
mycorrhizal symbiosis, 535
mycorrhizosphere, 743
myrmecophytes, 391
*Myrothamnus flabellifolia*, 317

$^{15}N$ natural abundance, 503, 513
needle rust, 683
*Nicotiana tabacum* (tobacco), 585, 597
nitrogen assimilation, 503, 513
nitrogen, 213, 413
NMR imaging, 317
nodule senescence, 493
Norway spruce, 683
nuclear exchange, 717
nursery experiments, 271
nutrient capture, 725
nutrient exchange, 525

organic patches, 725
*Oryza sativa* (rice), 607
osmotic adjustment, 535
oxidative burst, 185, 597
oxidative damage, 493
oxidative stress, 627
ozone, 413

P efflux, 525
P transfer, 525
P translocation, 525
*Paenibacillus*, 743
pathogen, 165, 459
pathozone, 459
PEP carboxylase kinase, 91
PEP carboxylase, 91
phage display, 165
*Phallus impudicus*, 691
*Phanerochaete velutina*, 691
*Phaseolus vulgaris*, 185, 535
phenotypic diversity, 671
*Phleum pratense* (timothy), 355
phospholipid fatty acid (PLFA), 753
phosphorus, 271
photosynthesis, 451, 659, 683
physiological characters, 355
phytochrome, 121
phytohormone, 165
phytoremediation, 613
*Picea abies*, 683
*Pinus sylvestris*, 743
plant architecture, 391
plant defence, 597
plant fitness, 705
plant hormone signalling, 67
plant population dynamics, 671
plant stress signalling, 67
plant–AM fungal interactions, 477
polarized development, 553
pollen tubes, 553
polygalacturonase, 323
polyphosphate, 525
pore-sizes, 459
*Potamogeton pectinatus*, 659
*Potamogeton perfoliatus*, 659
PPCK, 175
principal component analysis, 671
principal coordinate analysis, 671
PRK, 175
process-based modelling, 355
programmed cell death, 99
protein oxidation, 627
protein phosphatase, 155
protein phosphorylation, 67, 91
psychrophile, 341
psychrotroph, 341
pulsatile growth, 553
pyruvate decarboxylase (PDC), 607

quantum efficiency of photosystem II, 585
quaternary structure, 433

*Quercus ilex*, 437
*Quercus rubra* (red oak), 257

radial $O_2$ loss, 369
reactive oxygen, 99
respiration, 543
response specificity, 7
resurrection plant, 317
*Rhizoctonia solani*, 459
rhizosphere, 145
*Rhodococcus*, 743
root exudates, 613
root hairs, 145
root proliferation, 725
root, 637
*Rosellinia necatrix*, 451
*Rubus idaeus* (raspberry), 671

saprotrophic fungi, 503
Scandinavia, 355
seasonal growth, 753
seasonality, 659
secondary metabolites, 227
secondary structure, 381
seed size, 271, 291
seedlings, 271, 291
sensitivity analyses, 355
shade plants, 243
shade tolerance, 271, 291
shading, 227
signal transduction, 35, 67, 155
signalling, 323
signal-response coupling, 7
sinalbin, 621
sink–source transition, 585
*Sinorhizobium meliloti*, 597
SLA, 637
soil borne pathogen, 451
soil fertility, 647
soil physical conditions, 459
soil structure, 459
*Solidago altissima*, 195, 203
*Sorghum bicolor* (sorghum), 257
*Sorghum bicolor*, 407
spatial variation, 671
specific leaf area, 213
specificity, 109
stem, 313, 381
stem-colour, 237
stomata, 109
stress response, 155
stress, 35
*Stropharia caerulea*, 691
structure/functionrelationship, 313
survival, 341
symbiosis, 597, 705

tannin, 227
temperature, 659
*Thlaspi caerulescens*, 613, 621
tip growth, 553
tip-growth methodology, 553
Tradeoff, 313
transduction pathways, 145
transpiration, 427
*Trichomanes speciosum*, 243
*Triticum aestivum* (wheat), 607
two hybrid, 165
tyrosine transduction, 155

ultrastructure, 243
UV-B, 121

vertical longevity pattern, 437
vesicular–arbuscular mycorrhiza, 257
*Vigna unguiculata*, 535

warming, 227
water and lipid distribution, 317
water availability, 427
water potential, 427, 535
waterlogging, 369
water-use effeciency, 407
wheat (*Triticum aestivum*), 369
wheat, 613
wood wide web, 717

xylem refilling, 317

zinc, 613, 621